



DIGIPAL ISIO HD

DVB-T2 HD receiver for the reception of digital TV programs via antenna in HD quality with ISIO Internet functionality and USB recording

EAN	Item no.	Colour	Weight (Box)	Weight	Device (W x H x D)	Box
4019588049314	0000/4931	anthracite	990 g	320 g	21 x 4 x 13 cm	28,8 x 7,4 x 16,3 cm
4019588149311	0001/4931	silver	990 g	320 g	21 x 4 x 13 cm	28,8 x 7,4 x 16,3 cm

TOP FEATURES

DVB-T2 HD (H.265/HEVC), DVB-T2 (H.264) or DVB-T

Control via CONNECT App

Recording function via USB (DVRready)

ISI Mode: Vereinfachte Gerätebedienung

Electronic program guide (EPG)

ISI mode: simplified device control

MULTIMEDIA

DVR storage medium: via USB

DVR function: Ja

Timeshift: Yes

TECHNISAT ADDED VALUE SERVICES

AUTOINSTALL: Yes

ISI-Mode: Yes

TECHNIMATIC: Yes

TECHNIFAMILY: Yes

SFI: Yes

INTERNET/NETWORK

HbbTV: Yes

AUDIO

Clear language from ARD: Yes über DVB

CARD READER

SD card: Yes

CONNECTIONS

HDMI™ (out): 1

USB: 2 (USB 2.0)

SIM-Card reader: Yes

Digital electric audio output (S/PDIF): Yes

Scart: 1

Ethernet 10/100 (RJ-45): Yes

IEC-Connector: Yes

DECRYPTION SYSTEM

Irdeto: Yes

DISPLAY

SD: Yes

HD: Yes

1080p: Yes

1080i: Yes

720p: Yes

576p: Yes

576i: Yes

HANDLING/COMFORT

Smart Home client: Yes

Teletext: Yes

Remote control: Yes

Sleep timer: Yes

Autostandby: Yes

Clock: Yes

Ideal for camping: Yes

OTHER FEATURES

OSD languages: French, German, English

Total programme memory: 5.000

POWER CONSUMPTION

Standby LED: < 0,5 W

In operation: < 5,8 W

POWER SUPPLY

Frequency: 50 Hz

Nominal voltage: 230 V

Mains adapter: Extern, 12 V

READY FOR RECEPTION

freenetTV: Yes

STREAMING

DLNA Client: Yes

Cloud store: Ja

SUPPORTED FORMATS & CODECS

Video-Codecs: H.264, MPEG-2, DivX, VC-1, H.265

Video-Formats: TS, MP4, Xvid

Picture-Formats: PNG, JPEG

Audio-Formats: AAC, MP3, MP2

TECHNISAT CONNECT

SFI: Yes

TUNER

Tuner type: Single-Tuner

Tuner DVB-T2: DVB-T2/HEVC (H.265)

DVB-T Tuner: 1

Reception on: HDTV (H.265, H.264), SD (MPEG-2)

TUNER - TERRESTRIAL

Reception range 1: 174 ... 230 MHz

Reception range 2: 470 ... 862 MHz

Demodulation: QPSK, 16QAM, 64QAM, 256QAM

Voltage supply: 5 V

Power supply: 0,03 A

SCOPE OF DELIVERY

DigiPal ISIO HD, remote controlTECHNICONROL incl. batteries, power supply, HDMI cable, manual, warranty card

Test Results DIGIPAL ISIO HD



Sehr gut (88%)
DIGITAL TESTED (1/2017)



Note 1,3 Oberklasse /
Preis-Leistung: sehr gut
SAT Empfang (01/2017)



Testsieger
video (12/2016)



Note 1,3 Oberklasse /
Preis-Leistung: sehr gut
DIGITAL HOME (1/2017)



Testsieger / sehr gut
(97,8%)
InfoDigital (12/2016)



Testsieger / gut (89,9%)
SATVISION (11/2016)



Sehr gut
DIGITAL FERNSEHEN
(1/2017)