



DIGIT ISIO S

Digital HDTV satellite receiver with internet functionality

Hard drive	EAN	Colour	Item no.	Weight (Box)	Weight	Device (W x H x D)	Box
extern	4019588147522	silver	0001/4752	2,9 kg	1,6 kg	31 x 5,2 x 20 cm	37 x 15,2 x 26,5 cm
extern	4019588047525	black	0000/4752	2,9 kg	1,6 kg	31 x 5,2 x 20 cm	37 x 15,2 x 26,5 cm

TOP FEATURES

HDTV-Twin-Tuner

Digitale Videorekorder-Funktion via USB (DVRready)

IP-Modul für Zugriff auf Mediatheken, Video on Demand Dienste und Apps

Freies Browsen, HbbTV und ISIO Live! (TechniSat Service Portal)

Inklusive HD+ Karte, sowie 2 CI+ Schnittstellen (kompatibel zu Sky)

UPnP/DLNA/Client- & Serverfunktion im Heimnetzwerk

AMBIENT OPERATING CONDITIONS

Ambient temperature: 5 - 35 °C

Humidity: 10 - 75 %

LNB CONTROL

Horizontal: 18 V

Band switch: 22 kHz

DiSEqC: DiSEqC 1.0 / DiSEqC 1.2 Sat Channel Router

Vertical: 14 V

TECHNISAT ADDED VALUE SERVICES

AUTOINSTALL: Yes

INTERNET/NETWORK

HbbTV: Yes

CARD READER

SD card: Yes

CONNECTIONS

HDMI™ (out): 1

eSATA: Yes

Digital electric audio output (S/PDIF): Yes

Digital optical audio out: Yes

Audio out analogue (RCA): Yes

YUV (component output): 1

Scart: 1

Video Cinch out: 1

Ethernet 10/100 (RJ-45): Yes (RJ-45)

F socket: 2

DECRYPTION SYSTEM

Conax: Yes

Nagravision: Yes

CI+: Yes

DISPLAY

Picture in Picture (PIP): Yes (2 x SD, 1 x SD u. 1 x HD)

Freeze frame: Yes

Zoom: Yes

576i: Yes

576p: Yes

SD: Yes

720p: Yes

1080i: Yes

HD: Yes

GENERAL CHARACTERISTICS

Hard drive: extern

HANDLING/COMFORT

Sleep timer: Yes

Alarm: Yes

OTHER FEATURES

OSD languages: German, Russian, Greek, Spanish, Polish, Italian, Czech, Hungarian, Swedish, Portuguese, Dutch, French, Turkish, English

Total programme memory: 5.000

POWER CONSUMPTION

Standby LED: < 0,3 W

In operation: 11,5 W

POWER SUPPLY

Nominal voltage: 180 ... 250 V

Frequency: 50 Hz

Mains adapter: internal

READY FOR RECEPTION

HD+: Yes

SUPPORTED FORMATS & CODECS

Video-Codex: MPEG-2, MPEG-4, MPEG-1, H.264, DivX

Video-Formats: MKV, MP4, MOV, TS, TS4, VOB, WMV, Xvid, AVI

JPEG: Yes

Audio-Formats: AAC, MP3, M4A, MP2

TUNER

Tuner type: DigitalSat

DVB-S tuner: 2

Input impedance: 75 Ω

Reception on: HDTV (Mpeg-4+2)

TECHNIROUTER ready: Yes

TUNER - SAT

DVB-S2: 8PSK-QPSK

FEC: Viterbi and Reed-Solomon

DVB-S: 2 ... 45

DVB-S2: 10 ... 31

Viterbi rates: 1/2, 2/3, 3/4, 5/6, 7/8

Reception range: 950 ... 2.150 MHz

DVB-S: QPSK

SCOPE OF DELIVERY

DIGIT ISIO S International Edition, Remote control with batteries, Power cable, HDMI cable, Instruction manual

Test Results DIGIT ISIO S



Wertung: Gut | Punkte
gesamt: 76,85 von 100
sat+kabel (07-08/2011)