



DIGICORDER ISIO S

Digital HDTV satellite receiver with internet functionality

Hard drive	EAN	Colour	Item no.	Weight (Box)	Weight	Device (W x H x D)	Box
500 GigaByte	4019588517257	silver	0501/4725	4,1 kg	2,8 kg	43,5 x 6 x 19,9 cm	49 x 16 x 26 cm
500 GigaByte	4019588507258	black	0500/4725	4,1 kg	2,8 kg	43,5 x 6 x 19,9 cm	49 x 16 x 26 cm
1.000 GigaByte	4019588117259	silver	1001/4725	4,3 kg	3 kg	43,5 x 6 x 19,9 cm	49 x 16 x 26 cm
1.000 GigaByte	4019588107250	black	1000/4725	4,3 kg	3 kg	43,5 x 6 x 19,9 cm	49 x 16 x 26 cm

TOP FEATURES

HDTV-Twin-Tuner

Integrierte Festplatte

IP-Modul für Zugriff auf Mediatheken, Video on Demand Dienste und Apps

ISIO Internet-Browsing, HbbTV und ISIOlive (TechniSat Service Portal)

Inklusive HD+ Karte, sowie 2 CI+ Schnittstellen (kompatibel zu Sky)

UPnP/DLNA/Client- & Serverfunktion im Heimnetzwerk

AMBIENT OPERATING CONDITIONS

Humidity: 10 ... 75 %

Ambient temperature: 5 ... 35 °C

LNB CONTROL

Vertical: 14 V

Horizontal: 18 V

Band switch: 22 kHz

Current consumption: max. 400 mA (kurzschlussfest)

DiSEqC: 1.0 / 1.2 / Sat-CR

TECHNISAT ADDED VALUE SERVICES

AUTOINSTALL: Yes

INTERNET/NETWORK

HbbTV: Yes

HTML 5 support: Yes

CARD READER

SD card: Yes

CONNECTIONS

HDMI™ (out): 1

Digital electric audio output (S/PDIF): Yes

Digital optical audio out: Yes

Audio out analogue (RCA): Yes (rechts / links)

YUV (component output): 1

Scart: 1

Video Cinch out: 1

Ethernet 10/100 (RJ-45): Yes (RJ-45)

F socket: 2

DECRYPTION SYSTEM

Conax: Yes

Nagravision: Yes

CI+: Yes

HOTEL MODE

Protected access to hotel mode: Yes

Customisable start screen: Yes

Lockable volume: Yes

Menu locking: Yes

Control panel lock: Yes

Integrated LED clock: Yes

Selectable start source: Yes

Selectable start channel: Yes

POWER SUPPLY

Nominal voltage: 230 V

Frequency: 50 Hz

Mains adapter: internal

TUNER

Tuner type: DigitalSat

DVB-S tuner: 2

Reception on: HDTV (MPEG-4 & 2), SD (MPEG-2)

Input impedance: 75 Ω

TECHNIROUTER ready: Yes

TECHNISELECT 12 ready: Yes

DISPLAY

Picture in Picture (PIP): Yes (2 x SD, 1 x SD u. 1 x HD)

Freeze frame: Yes

Zoom: Yes

720p: Yes

SD: Yes

HD: Yes

1080i: Yes

OTHER FEATURES

OSD languages: English, German, French, Greek, Italian, Dutch, Polish, Portuguese, Russian, Swedish, Spanish, Czech, Turkish, Hungarian

Total programme memory: 5.000

Regional channel selection: Yes

READY FOR RECEPTION

HD+: Yes

TUNER - SAT

Reception range: 950 ... 2.150 MHz

Viterbi rates: 1/2, 2/3, 3/4, 5/6, 7/8 , (autom. Anpassung)

DVB-S: QPSK

DVB-S: 2 ... 45 (MCPC / SCPC)

DVB-S2: 8PSK - QPSK

DVB-S2: 10 ... 31 (MCPC / SCPC)

FEC: RS, LDPC, BCH

HANDLING/COMFORT

Sleep timer: Yes

Alarm: Yes

POWER CONSUMPTION

Standby fast start: 6,9 W

Standby LED: 0,25 W

In operation: 13 W

SUPPORTED FORMATS & CODECS

Video-Codecs: MPEG-2, MPEG-4, MPEG-1, H.264, DivX

Video-Formats: MKV, MP4, MOV, TS, TS4, VOB, WMV, Xvid, AVI

JPEG: Yes

Audio-Formats: AAC, MP3, M4A, MP2

SCOPE OF DELIVERY

DigiCorder ISIO S, remote control with batteries, power cable, HDMI cable, instruction manual

Test Results DIGICORDER ISIO S

DigiCorder ISIO S

TESTSIEGER

Testurteil Sehr Gut

video Heft 4/2014

Im Test: 4 HDTV-Receiver
mit Festplatte



Note: Sehr gut (1,2)
Sat Empfang (03/2011)



Testsieger
CHIP (06/2013)

Stiftung Warentest
Heft 3/2013

Testsieger

Testurteil gut (2,0)

Im Test: 500 GB-Variante

Im Test: 8 HD-Sat-Empfänger



Energiesparer
SatVision (07/2011)



Testsieger mit Testurteil

Sehr gut (94,3 %)

SatVision (07/2011)