



TECHNILINE 32 ISI

32 Zoll/80 cm Full-HD-Fernseher mit optimierter, einfacher Bedienung, TwinTuner und Bass Plus Technologie

Weight without stand	Colour	Stand height	EAN	Item no.	Weight (Box)	Weight	Unit without stand (W x H x D)	Device (W x H x D)	Box
5,4 kg	titan	4,5 cm	4019588327108	5532/9710	7,49 kg	5,6 kg	72 x 42,5 x 10,5 cm	72 x 47 x 25 cm	79 x 55 x 13,5 cm

TOP FEATURES

Full-HD-Smart-TV mit 32 Zoll / 80 cm Bilddiagonale

Einkabel-TwinTuner zum Empfang von DVB-S(S2), DVB-C und DVB-T2 (H.265/HEVC)

DVRready zum Aufzeichnen auf USB-Datenträger oder Netzwerkspeicher (NAS) inkl. Timeshift

Klang mit BassPlus-Technologie: Stereolautsprecher mit zusätzlichem Subwoofer vom Soundspezialisten ELAC

2 Fernbedienungen enthalten: Klassische TECHNICONTRÖL + einfache Zusatzfernbedienung ISIZapper Universal

Einfache Bedienung durch logisches und übersichtliches OSD

CI+ Schnittstelle für Pay-TV (kompatibel z.B. zu HD+, Sky, Unitymedia und mehr)

Steuerung per CONNECT-App (iOS/Android)

ISIO-Internet: Zugriff auf Mediatheken, Online-Videotheken, Apps und HbbTV

UPnP-Zugriff über Heimnetzwerk

MULTIMEDIA

DVR function: Ja

DVR storage medium: USB, NAS

Timeshift: Yes

Recordings edition function: Yes

Recordings folder management: Yes

AMBIENT OPERATING CONDITIONS

Humidity: 10 ... 75 %

Ambient temperature: 5 ... 35 °C

TECHNISAT ADDED VALUE SERVICES

SFI+: Yes

ISI-Mode: Yes

TECHNIFAMILY: Yes

ISIPRO: Yes

AUTOINSTALL: Yes

TECHNIMATIC: Yes

INTERNET/NETWORK

Internet: Yes

ISIO Internet: Yes

HbbTV: Yes

VoD services: Ja

Webbrowser: Yes

HTML 5 support: Yes

Internet speed test: Yes

AUDIO

HDMI ARC: Yes

Output power (W): Lautsprecher: 2 x 7,5W @ THD+N < 1% / Subwoofer: 1 x 15W @ THD+N < 1%

Speakers: 2 x 2-way sound system

ELAC Bass Plus: Yes

Clear language from ARD: Yes über DVB

POWER AND ENERGY CONSUMPTION

Supplier's name or trade mark: TechniSat

Supplier's address: TechniSat Digital GmbH, Julius-Saxler-Str. 3, 54550 Daun

Model identifier: 5532/9710

Energy Efficiency Class for standard Dynamic Range (SDR): F

On mode power demand for Standard Dynamic Range (SDR): 32,1 W

Standby mode power demand, if applicable: 0,4 W

Electronic display category: Fernsehgerät

Size ratio: 16:9

Screen resolution (pixels): 1920 x 1080

Screen diagonal: 80,1 cm

Screen diagonal: 32 in

Visible screen area: 27,4 dm²

Panel technology used: LED-LCD

Image refresh frequency rate (default): 50 Hz

Minimum guaranteed availability of software and firmware updates (from the date of end of the placement on the market): 8 Jahre

Minimum guaranteed availability of spare parts (from the date of end of the placement on the market): 7 Jahre

Minimum guaranteed product support: 8 Jahre

Minimum duration of the general guarantee offered by the supplier: 2 Jahre

Power supply type: Intern

CONNECTIONS

HDMI™ (in): 2 (hinten)

USB: 2 (USB 2.0)

Common Interface Plus (CI+): Yes

Digital electric audio output (S/PDIF): Yes

Audio / video input analog (3.5 mm jack): 1

Ethernet 10/100 (RJ-45): Yes

F socket: 1

IEC-Connector: Yes

Audio out analogue (3,5 mm jack): 1

Headphone output: Yes (3,5mm Klinke)

DECRYPTION SYSTEM

CI+: Yes

DISPLAY

Type: FullHD dLED

Resolution (vertical and horizontal): 1920 x 1080

Size (cm): 80 cm

Size (inches): 32

SD: Yes

HD: Yes

1080p: Yes

1080i: Yes

720p: Yes

576p: Yes

576i: Yes

480p: Yes

480i: Yes

Angle of view: 178° / 178°

Format: 16:9

Zoom: Yes

Freeze frame: Yes

GENERAL CHARACTERISTICS

Appearance: Slim 55mm

HANDLING/COMFORT

Electronic Program Guide (EPG): Ja

Quick start: Yes

Parental Control: Ja

Media Player: Yes

Channel number mix: Yes

Teletext: Yes

Autostandby: Yes

Sleep timer: Yes

Hotel mode: Yes

HOTEL MODE

Protected access to hotel mode: Yes

Customisable start screen: Yes

Energy card function: Yes

USB cloning function: Yes

Multimedia connectors: Yes

Lockable volume: Yes

Menu locking: Yes

Control panel lock: Yes

Radio mode: Yes

Alarm function: Yes

Sleep timer: Yes

Mixing of channel slots: Yes

Multicode remote control: Yes

Selectable start source: Yes

Selectable start channel: Yes

OTHER FEATURES

OSD languages: English, German, French, Greek, Italian, Dutch, Polish, Portuguese, Russian, Swedish, Spanish, Czech, Turkish, Hungarian

Regional channel selection: Yes

STREAMING

DLNA Server: Yes

DLNA Client: Yes

Cloud store: Ja

Parental Control: Yes

TechniCast: Ja (optional über Dongle)

TUNER

Tuner type: Einkabel-TwinTuner

Twin-Tuner: Yes

DVB-S tuner: 2

Single Cable Solution (SatCR): SCR1 = EN50494, SCR2 = EN50607

DVB-C Tuner: 2

Tuner DVB-T2: 2

DVB-T Tuner: 2

Reception on: HDTV (MPEG-4), SD (MPEG-2)

Input impedance: 75 Ω

TECHNIROUTER ready: Yes

TUNER - TERRESTRIAL

Reception range 1: 174 ... 230 MHz

Reception range 2: 470 ... 862 MHz

Demodulation: COFDM (QPSK, 16-QAM, 64-QAM)

Transmission mode: 2k/8k

Bitrate: 4,98 ... 31,67

FEC: 1/2, 2/3, 3/4, 5/6, 6/7, 7/8

Voltage supply: 5 V

Power supply: 0,03 A

POWER CONSUMPTION

Model designation: TECHNILINE 32 ISI

Energy class: A

In operation: 37 W

annual energy consumption when switched on: 54 kilowatt hour per annum

Standby: 0,37 W

Visible screen size (cm): 80

Visible screen size (inches): 32

SUPPORTED FORMATS & CODECS

Video-CODECS: MPEG-2, MPEG-4, H.264 (bis H.264/AVC Level 4.2), H.265, DivX (MPEG4 part2), VC-1

Video-Formats: M4V, MP4, MKV, MOV, MPG, TS, TS4, VOB, WMV, M2TS, AVI, ASF

Picture-Formats: BMP, JPEG, GIF, PNG, TIFF

Audio-Formats: WAV, MP3, AAC, FLAC, M4A, MP2, OGG, DDAC3, AIFF, WMA

TUNER - CABLE

Reception range: 47 ... 862 MHz

Demodulation: 16-, 32-, 64-, 128-, 256-QAM

Symbol rate: 1,5 ... 7,2

FEC: Reed-Solomon (204, 188)

WALL BRACKET

VESA wall mounting standards: 100 x 100

POWER SUPPLY

Nominal voltage: 230 V

Frequency: 50 Hz

Mains adapter: internal

TECHNISAT CONNECT

SFI: Yes

TUNER - SAT

Reception range: 950 ... 2.150 MHz

DVB-S: QPSK

DVB-S: 2 ... 45 (MCPC / SCPC)

DVB-S2: 8PSK - QPSK

DVB-S2: 10 ... 31 (MCPC / SCPC)

FEC: RS, LDPC, BCH

SCOPE OF DELIVERY

TECHNILINE ISI Gerät, FüÙe, ISIZAPPER und TECHNICONTRÖL Fernbedienung, externer Subwoofer Bass Plus von ELAC, CD mit Bedienungsanleitung, Kurzanleitung mit Garantiehinweisen