



TECHNIVISION 26 HD

Full-HD Digital TV with eLED panel and HDTV multituner including digital DVR function via USB to record TV and radio broadcast on an external hard drive

Weight without stand	EAN	Colour	Item no.	Weight (Box)	Weight	Unit without stand (W x H x D)	Device (W x H x D)	Box
6,4 kg	4019588267329	black	5026/7326	10 kg	7 kg	649 x 438 x 48 mm	64,9 x 49 x 20,5 cm	72,5 x 57,5 x 25 cm
6,4 kg	4019588267305	silver/black	5026/7306	9 kg	9 kg	649 x 438 x 48 mm	64,9 x 49 x 20,5 cm	72,5 x 57,5 x 25 cm

TOP FEATURES

HDTV multituner

Digital video recorder function via USB (DVRready)

Timeshift (in conjunction with an external storage medium)

PerfectRecording

LED display with clock

Common Interface Plus (CI+)

AMBIENT OPERATING CONDITIONS

Humidity: 10 - 75 %

Ambient temperature: 5 - 35 °C

AUDIO

AC3 Dolby Digital bitstream out: Yes

Speakers: integrated broadband speaker system

DIMENSIONS / WEIGHT

Set width without stand: 649 mm

Weight without stand: 6,4 kg

Set height without stand: 438 mm

Set depth without stand: 48 mm

LNB CONTROL

Band switch: 22 kHz

Vertical: <14 V without load, > 11.5 V at 400 mA V

DiSEqC: DiSEqC 1.0 and 1.2 / DiSEqC 1x Sat Channel Router

Current consumption: max (kurzschlussfest) 400 mA

Horizontal: <20 V without load, > 17.2 V at 400 mA V

CONNECTIONS

HDMI™ (in): 2

Common Interface Plus (CI+): Yes

Digital electric audio output (S/PDIF): Yes Cinch

Audio in/AUX in: Yes 3.5mm Klinke

VGA: Yes

YUV (component input): Yes Cinch

Scart: 1 (FBAS/RGB)

S Video: Yes

Video IN: 1 Cinch Composite

F socket: 1

IEC-Connector: Yes

DISPLAY

Size (cm): 66 cm

Frequency: 50 Hz

Format: 16:9

Contrast ratio: 800:1

Brightness: 400 cd/m²

Response time: 5 ms

Angle of view: 150° V / 160° H

Freeze frame: Yes

HD: Yes

Type: Full-HD eLED

1080i: Yes

Resolution (vertical and horizontal): 1920 x 1080

720p: Yes

SD: Yes

Size (inches): 26

TECHNISAT ADDED VALUE SERVICES

AUTOINSTALL: Yes

DECRYPTION SYSTEM

CI+: Yes

HANDLING/COMFORT

Alarm: Yes

Clock: Yes

Sleep timer: Yes

HOTEL MODE

Customisable start screen: Yes

Configurable on times: Yes

Energy card function: Yes

USB cloning function: Yes

Multimedia connectors: Yes

Menu locking: Yes

Integrated LED clock: Yes

Radio mode: Yes

Mixing of channel slots: Yes

Multicode remote control: Yes

Fireproofed housing: Yes

POWER CONSUMPTION

SFlplus updating: 19,8 W

Software update: 19,8 W

Energy class: B

Standby fast start: 19 W

Standby LED: 0,64 W

In operation: 42 W

annual energy consumption when switched on: 61 kilowatt hour per annum

Off status: 0 W

Power switch: Yes

TUNER

Tuner type: HDTV-Multituner

DVB-S tuner: 1

DVB-C Tuner: 1

DVB-T Tuner: 1

Analogue UHF/VHF/CATV tuner: 1

TECHNIROUTER ready: Yes

Input impedance: 75 Ω

Reception on: HDTV (Mpeg-4+2) SD (MPEG-2)

TUNER - SAT

Viterbi rates: 1/2, 2/3, 3/4, 5/6, 7/8

Reception range: 950 ... 2.150 MHz

DVB-S2: 8PSK - QPSK

DVB-S: QPSK

DVB-S: 2 ... 45

DVB-S2: 10 ... 31

FEC: Viterbi and Reed-Solomon

MATERIALS CONTAINED

Lead: Yes

POWER SUPPLY

Nominal voltage: 230 V

Frequency: 50 Hz

Mains adapter: internal

TUNER - ANALOGUE

Video standards: B/G stereo, D/K mono, L/L¹

Reception range: 47 ... 862 MHz

TUNER - TERRESTRIAL

Reception range 2: 470 ... 860 MHz

Transmission mode: 2k/8k

Demodulation: COFDM

Power supply: 0,05 A

Reception range 1: 174 ... 230 MHz

Voltage supply: 5 V

Bitrate: 4 ... 32

OTHER FEATURES

OSD languages: German, Spanish, Hungarian, Czech, Portuguese, Turkish, Polish, French, Italian, Russian, English, Greek, Swedish, Dutch

Total programme memory: 5.000

Regional channel selection: Yes

SUPPORTED FORMATS & CODECS

MPEG-2: Yes

Video-Formats: TS4, TS, VOB

JPEG: Yes

MP3: Yes

TUNER - CABLE

Demodulation: 16/32/64/128/256 QAM

Reception range: 51 ... 858 MHz

Symbol rate: 1,7 ... 7

FEC: Reed-Solomon

WALL BRACKET

VESA wall mounting standards: VESA 100 x 100

SCOPE OF DELIVERY

TechniVision 26 HD, Stand, 230 V mains power cable, TechniControl remote control incl. batteries, Manual

Test Results TECHNIVISION 26 HD



Test-Sieger
PC-Welt (07/2011)