

TECHNILINE 32 ISI 2

32 inch/80 cm Full HD television with optimised, easY operation, TwinTuner and Bass Plus technologY

Weight without stand	Stand height	EAN	Colour	Item no.	Weight (Box)	Weight	Unit without stand (W x H x D)	Device (W x H x D)	Box
5,4 kg	4,5 cm	4019588327115	titanium	5532/9711	7,49 kg	5,6 kg	72 x 42,5 x 10,5 cm	72 x 47 x 25 cm	79 x 55 x 13,5 cm

TOP FEATURES

- Full HD Smart TV with a screen size of 32 inches / 80 cm
- Klang mit BassPlus-Technologie: Stereolautsprecher mit zusätzlichem Subwoofer vom Soundspezialisten ELAC
- CI+ interface for Pay-TV (compatible e.g. with HD+, Sky, Unitymedia and more)
- UPnP access via home network
- Single-cable twin tuner for receiving DVB-S(S2), DVB-C and DVB-T2 (H.265/HEVC)
- 2 remote controls included: Classic TECHNICONTROL + simple additional remote control ISIZapper Universal
- Steuerung per CONNECT-App (iOS/Android)
- DVRready for recording to USB or network storage (NAS) with Timeshift
- Simple operation through logical and clear OSD
- ISIO Internet: Access to media libraries, online video libraries, apps and HbbTV

MULTIMEDIA

- DVR function: Ja
- DVR storage medium: USB, NAS
- Timeshift: Yes
- Recordings edition function: Yes
- Recordings folder management: Yes

FILTER-NAVIGATION

- Resolution: Full HD
- Features: Integrated subwoofer
- Screen diagonal: Direct-LED
- Reception type: Satellite (DVB-S/S2)
- Bildschirmdiagonale: 32 in
- Connections: USB
- Tuner type: Twin tuner

AMBIENT OPERATING CONDITIONS

- Humidity: 10 ... 75 %
- Ambient temperature: 5 ... 35 °C

TECHNISAT ADDED VALUE SERVICES

SFI+: Yes

ISI-Mode: Yes

TECHNIFAMILY: Yes

ISIPRO: Yes

AUTOINSTALL: Yes

TECHNIMATIC: Yes

INTERNET/NETWORK

Internet: Yes

ISIO Internet: Yes

HbbTV: Yes

VoD services: Ja

Webbrowser: Yes

HTML 5 support: Yes

Internet speed test: Yes

AUDIO

HDMI ARC: Yes

Output power (W): Speakers: 2 x 7,5W @ THD+N < 1% / Subwoofer: 1 x 15W @ THD+N < 1%

Speakers: 2 x 7,5 W with 15W Subwoofer

ELAC Bass Plus: Yes

Clear language from ARD: Yes über DVB

POWER AND ENERGY CONSUMPTION

Supplier’s name or trade mark: TechniSat

Supplier’s address: TechniSat Digital GmbH, Julius-Saxler-Str. 3, 54550 Daun

Model identifier: 5532/9711

Energy Efficiency Class for standard Dynamic Range (SDR): E

On mode power demand for Standard Dynamic Range (SDR): 26,2 W

Standby mode power demand, if applicable: 0,5 W

Electronic display category: Fernsehgerät

Size ratio: 16:9

Screen resolution (pixels): 1920 x 1080

Screen diagonal: 80,1 cm

Screen diagonal: 32 in

Visible screen area: 27,4 dm²

Panel technology used: LED-LCD

mage refresh frequency rate (default): 50 Hz

Minimum guaranteed availability of software andfirmware updates (from the date of end of theplacement on the market): 8 Jahre

Minimum guaranteed availability of spare parts (fromthe date of end of the placement on the market): 7 Jahre

Minimum guaranteed product support: 8 Jahre

Minimum duration of the general guarantee offeredby the supplier: 2 Jahre

Power supply type:: Intern

CONNECTIONS

HDMI™ (in): 2 (hinten)

USB: 2 (USB 2.0)

Common Interface Plus (CI+): Yes

Digital electric audio output (S/PDIF): Yes

Audio / video input analog (3.5 mm jack): 1

Ethernet 10/100 (RJ-45): Yes

F socket: 1

IEC-Connector: Yes

Audio out analogue (3,5 mm jack): 1

Headphone output: Yes (3,5mm Klinke)

DECRYPTION SYSTEM

CI+: Yes

DISPLAY

Type: Direct-LED

Resolution (vertical and horizontal): 1920x1080

Size (cm): 80 cm

Size (inches): 32

SD: Yes

HD: Yes

1080p: Yes

1080i: Yes

720p: Yes

576p: Yes

576i: Yes

480p: Yes

480i: Yes

Angle of view: 178° / 178°

Format: 16:9

Zoom: Yes

Freeze frame: Yes

HANDLING/COMFORT

CONNECT app: Yes

Electronic Program Guide (EPG): Ja

Quick start: Yes

Parental Control: Ja

Media Player: Yes

Export database: Yes

Channel number mix: Yes

Teletext: Yes

Autostandby: Yes

Sleep timer: Yes

Hotel mode: Yes

Selection regional channels: Yes

HOTEL MODE

Protected access to hotel mode: Yes

Customisable start screen: Yes

Energy card function: Yes

USB cloning function: Yes

Multimedia connectors: Yes

Lockable volume: Yes

Menu locking: Yes

Control panel lock: Yes

Radio mode: Yes

Alarm function: Yes

Sleep timer: Yes

Mixing of channel slots: Yes

Multicode remote control: Yes

Selectable start source: Yes

Selectable start channel: Yes

OTHER FEATURES

OSD languages: English, German, French, Greek, Italian, Dutch, Polish, Portuguese, Russian, Swedish, Spanish, Czech, Turkish, Hungarian

Regional channel selection: Yes

POWER SUPPLY

Nominal voltage: 230 V

Frequency: 50 Hz

Mains adapter: internal

STREAMING

DLNA Server: Yes

DLNA Client: Yes

Cloud store: Ja

Parental Control: Yes

TechniCast: Ja (optional über Dongle)

SUPPORTED FORMATS & CODECS

Video-Codecs: MPEG-2, MPEG-4, H.264 (bis H.264/AVC Level 4.2), H.265, DivX (MPEG4 part2), VC-1

Video-Formats: M4V, MP4, MKV, MOV, MPG, TS, TS4, VOB, WMV, M2TS, AVI, ASF

Picture-Formats: BMP, JPEG, GIF, PNG, TIFF

Audio-Formats: WAV, MP3, AAC, FLAC, M4A, MP2, OGG, DDAC3, AIFF, WMA

TECHNISAT CONNECT

Control: Yes

SFI: Yes

MULTI PLAY: Yes

TUNER

Tuner type: TwinTuner in one cable

Twin-Tuner: Yes

DVB-S tuner: 2

Single Cable Solution (SatCR): SCR1 = EN50494, SCR2 = EN50607

DVB-C Tuner: 2

Tuner DVB-T2: 2

DVB-T Tuner: 2

Satellite radio: Yes

Pay TV enabled: Yes

Cable radio: Yes

Internet radio: Yes

Reception on: HDTV (MPEG-4), SD (MPEG-2)

Input impedance: 75 Ω

TECHNIROUTER ready: Yes

TUNER - CABLE
Reception range: 47 ... 862 MHz
Demodulation: 16-, 32-, 64-, 128-, 256-QAM
Symbol rate: 1,5 ... 7,2
FEC: Reed-Solomon (204, 188)

TUNER - SAT
Reception range: 950 ... 2.150 MHz
DVB-S: QPSK
DVB-S: 2 ... 45 (MCPC / SCPC)
DVB-S2: 8PSK - QPSK
DVB-S2: 10 ... 31 (MCPC / SCPC)
FEC: RS, LDPC, BCH

TUNER - TERRESTRIAL
Reception range 1: 174 ... 230 MHz
Reception range 2: 470 ... 862 MHz
Demodulation: COFDM (QPSK, 16-QAM, 64-QAM)
Transmission mode: 2k/8k
Bitrate: 4,98 ... 31,67
FEC: 1/2, 2/3, 3/4, 5/6, 6/7, 7/8
Voltage supply: 5 V
Power supply: 0,03 A

WALL BRACKET
VESA wall mounting standards: 100 x 100

SCOPE OF DELIVERY
TECHNILINE ISI 2 device, feet, ISIZAPPER and TECHNICONTROL remote control, external subwoofer Bass Plus from ELAC, CD with operating instructions, quick start guide with warrantY information