



## DIGIT ISIO S1

HDTV digital satellite receiver with twin tuner, digital video recorder and Internet functionality via USB to record TV and radio programs on an external hard drive

Hard drive	EAN	Colour	Item no.	Weight (Box)	Weight	Device (W x H x D)	Box
extern	4019588147539	silver	0001/4753	2,9 kg	1,6 kg	31 x 5,2 x 20 cm	37 x 15,2 x 26,5 cm
extern	4019588147539	silver	0001/4753	2,9 kg	1,6 kg	31 x 5,2 x 20 cm	37 x 15,2 x 26,5 cm

### TOP FEATURES

HDTV tuner (DVB-S/S2)

DVRready: Digital video recorder function for recording to USB hard drive

Pay TV compatible via CI+

ISIO: Access to multimedia library, ISIO apps and HbbTV

Easy start-up via AutoInstall

Multimedia streaming on home network (via UPnP)

Electronic program guide (EPG)

### AMBIENT OPERATING CONDITIONS

Ambient temperature: 5 ... 35 °C

Humidity: 10 ... 75 %

### LNB CONTROL

Vertical: 14 V

Horizontal: 18 V

Band switch: 22 kHz

Current consumption: max. 400 mA (kurzschlussfest)

DiSEqC: 1.0 / 1.2

### TECHNISAT ADDED VALUE SERVICES

AUTOINSTALL: Yes

#### INTERNET/NETWORK

HbbTV: Yes

HTML 5 support: Yes

#### CARD READER

SD card: Yes

#### CONNECTIONS

HDMI™ (out): 1

USB: 3 (USB 2.0)

eSATA: Yes

Digital electric audio output (S/PDIF): Yes

Digital optical audio out: Yes

Audio out analogue (RCA): Yes (rechts / links)

YUV (component output): 1

Scart: 1

Video Cinch out: 1

Ethernet 10/100 (RJ-45): Yes (RJ-45)

F socket: 2

#### DECRYPTION SYSTEM

Conax: Yes

Nagravision: Yes

CI+: Yes

#### DISPLAY

Picture in Picture (PIP): Yes (2 x SD, 1 x SD u. 1 x HD)

Freeze frame: Yes

Zoom: Yes

576p: Yes

576i: Yes

720p: Yes

1080i: Yes

SD: Yes

HD: Yes

#### HANDLING/COMFORT

Sleep timer: Yes

Alarm: Yes

#### HOTEL MODE

Protected access to hotel mode: Yes

Customisable start screen: Yes

Lockable volume: Yes

Menu locking: Yes

Control panel lock: Yes

Integrated LED clock: Yes

Selectable start source: Yes

Selectable start channel: Yes

#### OTHER FEATURES

OSD languages: English, German, French, Greek, Italian, Dutch, Polish, Portuguese, Russian, Swedish, Spanish, Czech, Turkish, Hungarian

Total programme memory: 5.000

Regional channel selection: Yes

#### POWER CONSUMPTION

Standby fast start: 6,5 W

Standby LED: < 0,2 W

In operation: 11,05 W (ohne LNB-Versorgung)

#### POWER SUPPLY

Nominal voltage: 230 V

Frequency: 50 Hz

Mains adapter: internal

#### SUPPORTED FORMATS & CODECS

Video-Codecs: MPEG-2, MPEG-4, MPEG-1, H.264, DivX

Video-Formats: MKV, MP4, MOV, TS, TS4, VOB, WMV, Xvid, AVI

JPEG: Yes

Audio-Formats: AAC, MP3, M4A, MP2

#### TECHNISAT CONNECT

SFI: Yes

## TUNER

Tuner type: DigitalSat

DVB-S tuner: 2

Single Cable Solution (SatCR): SCR1 = EN50494

Reception on: HDTV (MPEG-4 & 2), SD (MPEG-2)

TECHNIROUTER ready: Yes

TECHNISELECT 12 ready: Yes

## TUNER - SAT

Reception range: 950 ... 2.150 MHz

Viterbi rates: 1/2, 2/3, 3/4, 5/6, 7/8 , (autom.

Anpassung)

DVB-S: QPSK

DVB-S: 2 ... 45

DVB-S2: 8PSK-QPSK

DVB-S2: 10 ... 31

FEC: Viterbi and Reed-Solomon

## SCOPE OF DELIVERY

DIGIT ISIO S1, remote control with batteries,  
power cable, HDMI cable, instruction manual

## Test Results DIGIT ISIO S1



Testurteil: Sehr gut | Note  
1,3  
SFT (04/2011)



Preis/Leistung: Sehr gut  
Infosat (03/2011)



digital home (04/2011)



Note: Sehr gut | 94,1 %  
SATVISION (04/2011)



Testurteil: Ausgezeichnet |  
Note 1,3  
Heimkino (05-06/2011)



Wertung: Gut |  
Preis/Leistung: Gut |  
Punkte gesamt: 79,9 von  
100  
sat+kabel (05-06/2011)



Note: 1,3 |  
Preis/Leistung: Sehr gut  
SAT-Empfang (02/2011)